

Bell 206 L111 LongRanger

S/N 51508

Date 14-Dec-06

AIRCRAFT TOTAL TIME: 10,409.0

ENG T.T.: 13618.7

| Item No | NOMENCLATURE | PART NO. | SERIAL NO. | SERVICE LIFE | RET. O/H Insp.. | PART TSN, RSN | PART TSO, RSO | TIME REMAINING |
|---------|----------------------------|-------------------|------------|--------------|-----------------|---------------|---------------|----------------|
| 1 | MAIN ROTOR BLADE | 206-015-001-115 | A3464 | 3600 | Ret. | 3089.4 | | 510.6 |
| 2 | MAIN ROTOR BLADE | 206-015-001-115 | A3518 | 3600 | Ret. | 3089.4 | | 510.6 |
| 3 | MAIN ROTOR HUB ASSY | 206-011-100-105 | A212 | 2400 | O/H | 13770.2 | 660.6 | 1739.4 |
| 4 | MAIN ROTOR HUB ASSY | 206-011-100-105 | A212 | 1200 | INSP. | 13770.2 | 660.6 | 539.4 |
| 5 | MAIN ROTOR TRUNNION (Rins) | 206-011-120-103 | A3547 | 24000 | Ret. | 22850 | | 1150 |
| 6 | M/R GRIP ASSY | 206-011-132-113A | HB3057 | 4800 | Ret. | 660.6 | | 4139.4 |
| 7 | M/R GRIP ASSY | 206-011-132-113A | HB3107 | 4800 | Ret. | 660.6 | | 4139.4 |
| 8 | M/R RETENTION FITTING | 206-011-150-105 | HB4172 | 2400 | Ret. | 660.6 | | 1739.4 |
| 9 | M/R RETENTION FITTING | 206-011-150-105 | HB3969 | 2400 | Ret. | 660.6 | | 1739.4 |
| 10 | M/R RETENTION PIN | 206-011-125-001 | DI29225 | 1200 | Ret. | 660.6 | | 539.4 |
| 11 | M/R RETENTION PIN | 206-011-125-001 | DI28606 | 1200 | Ret. | 660.6 | | 539.4 |
| 12 | M/R RETENTION STRAP | TBA | TBA | 1200 | Ret. | | | Exp |
| 13 | M/R RETENTION STRAP (Cal) | TBA | TBA | 24MTHS | Ret. | | | Exp |
| 14 | M/R RETENTION STRAP | TBA | TBA | 1200 | Ret. | | | Exp |
| 15 | M/R RETENTION STRAP (Cal) | TBA | TBA | 24MTHS | Ret. | | | Exp |
| 16 | LATCH BOLT | 206-011-260-101 | SU4341 | 1200 | Ret. | 660.6 | | 539.4 |
| 17 | LATCH BOLT | 206-011-260-101 | DI14125 | 1200 | Ret. | 660.6 | | 539.4 |
| 18 | YOKE M/R | N/A | N/A | O/C | O/C | | | O/C |
| 19 | M/R MAST ASSY | 203-040-014-107 | 51334 | 2500 | O/H | 8581 | 1129.2 | 1370.8 |
| 20 | M/R MAST ASSY | 206-040-535-109 | N-065 | 12 Mths | INSP. | | | EXP |
| 21 | M/R MAST ASSY (Rins) | 206-040-535-109 | N-065 | 44000 | Ret. | 18769 | | 25231 |
| 22 | M/R SWASHPLATE ASSY | 206-010-450-119FM | RE-22 | 4800 | O/H | 10759.7 | 1362.4 | 3437.6 |
| 23 | SWASHPLATE SLEEVE | 206-010-454-109 | SI535 | 4800 | Ret. | 1362.4 | | 3437.6 |
| 24 | SWASHPLATE SUPPORT | 206-010-445-113 | RE987 | 4800 | Ret. | 1362.4 | | 3437.6 |
| 25 | COLLECTIVE LINK | 206-010-407-001 | REFS3405 | 4800 | Ret. | 1362.4 | | 3437.6 |
| 26 | COLLECTIVE LEVER | 206-010-467-105 | REFS1486 | 4800 | Ret. | 1362.4 | | 3437.6 |
| 27 | M/R TRANSMISSION (O/H) | 206-040-004-107 | A-33 | 4500 | O/H | 11126.1 | 2160.8 | 2339.2 |
| 28 | M/R TRANSMISSION (Insp.) | 206-040-004-107 | A-33 | 1600 | INSP. | 11126.1 | 566.3 | 1033.7 |
| 29 | FREEWHEELING UNIT | 206-040-270-009 | B46301 | 3000 | O/H | 4787.4 | 1810.1 | 1189.9 |
| 30 | FREEWHEELING UNIT | 206-040-270-009 | B46301 | 1600 | INSP. | 4787.4 | 271.4 | 1328.6 |

Subject to Verification

| | | | | | | | | |
|----|-------------------------|-----------------|----------|------|-------|---------|--------|--------|
| 31 | CLUTCH ASSEMBLY | CL42250-1 | FD12062 | 3000 | Ret. | 1810.1 | | 1189.9 |
| 32 | SERVO ACTUATOR | 206-076-062-003 | RH0960 | 3600 | O/H | 19840.6 | 2847.1 | 752.9 |
| 33 | SERVO ACTUATOR | 206-076-062-003 | RH3661A | 3600 | O/H | 9681.8 | 2746.8 | 853.2 |
| 34 | SERVO ACTUATOR | 206-076-062-003 | RH0079A | 3600 | O/H | 23495.3 | 3050.7 | 549.3 |
| 35 | CYCLIC TUBE | 206-001-193-001 | A6767 | 4800 | Ret. | 828.4 | | 3971.6 |
| 36 | CYCLIC TUBE | 206-001-193-001 | A6771 | 4800 | Ret. | 828.4 | | 3971.6 |
| 37 | TAIL ROTOR GEAR BOX | 206-040-402-105 | AFS-3070 | 6000 | O/H | 11417.1 | 5438.7 | 561.3 |
| 38 | TAIL ROTOR GEAR BOX | 206-040-402-105 | AFS-3070 | 3000 | INSP. | 11417.1 | 2453.6 | 546.4 |
| 39 | BEARING | 206-040-410-101 | MB1245 | 3000 | Ret. | 2071.7 | | 928.3 |
| 40 | TAIL ROTOR HUB ASSEMBLY | 206-011-810-153 | HB894 | 2500 | O/H | 2451.7 | 2160.2 | 339.8 |
| 41 | TAIL ROTOR YOKE | 206-011-819-109 | AFS8043 | 5000 | Ret. | 4416.3 | | 583.7 |
| 42 | TAIL ROTOR BLADE | 206-016-201-131 | CS6681 | 2500 | Ret. | 2160.2 | | 339.8 |
| 43 | TAIL ROTOR BLADE | 206-016-201-131 | CS6669 | 2500 | Ret. | 2160.2 | | 339.8 |
| 44 | STARTER GENERATOR | 23081-018 | 1140 | 1000 | O/H | 10563.5 | 928.33 | 71.67 |
| 45 | TAIL ROTOR TRUNNION | N/A | N/A | O/C | O/C | | | O/C |

Subject to Verification

| | |
|-----------------|---------------------------|
| S/N CAE 895561 | Eng. Allison 250 C30P |
| DATE. 14 Dec 06 | Engine Total Time 11980.5 |

| ITEM NO | NOMENCLATURE | PART NO. | SERIAL NO. | SERVICE LIFE | RET. O/H. INSP. | PART TTSN, CSN | LIFE BY HRS OR CYCLES | PART TSO, CSO | TIME REMAINING |
|---------|---------------------|------------|------------|--------------|-----------------|----------------|-----------------------|---------------|----------------|
| 1 | ENGINE | 250-C30P | CAE895561 | O/C | O/C | 11980.5 | | | |
| 2 | ENGINE GEARBOX | 23053349 | CAG-95567 | O/C | O/C | 11980.5 | HRS | | O/C |
| 3 | COMPRESSOR | 23051643 | CAC-90614 | O/C | O/C | 10567.9 | HRS | | O/C |
| 4 | IMPELLER (HOURS) | 6899245 | LP48951 | 15000 | RET. | 10844.3 | HRS | | 4155.7 |
| 5 | IMPELLER (CYCLES) | 6899245 | LP48951 | 25000 | RET. | 24713 | CYC | | 287 |
| 6 | TURBINE | 23035128 | CAT90062 | 2000 | O/H | 1770.1 | HRS | 1770.1 | 229.9 |
| 7 | 1ST STAGE (HOURS) | 23053299 | X146562 | 2025 | RET. | 1770.1 | HRS | | 254.9 |
| 8 | 2ND STAGE (HOURS) | 23032280 | HX129007 | 2025 | RET. | 1770.1 | HRS | | 254.9 |
| 9 | 3RD STAGE (HOURS) | 6898663 | HX93284 | 4550 | RET. | 1770.1 | HRS | | 2779.9 |
| 10 | 4TH STAGE (HOURS) | 23066744 | HX75199 | 4550 | RET. | 1770.1 | HRS | | 2779.9 |
| 11 | FUEL NOZZLE | 47101 | 1UL06170 | 2000 | O/H | 4906.8 | HRS | 978.8 | 1021.2 |
| 12 | FUEL PUMP | 388100-5 | T200999 | 3500 | O/H | 7617.8 | HRS | 2682.4 | 817.6 |
| 13 | FUEL CONTROL | 2549092-6 | BR53425 | 2500 | O/H | 7130.6 | HRS | 127.6 | 2372.4 |
| 14 | FUEL CONTROL FILTER | 2549092-6 | BR53425 | 2000 | Insp. | 7130.6 | HRS | 127.6 | 1872.4 |
| 15 | PT GOVERNOR | 2524692-11 | 27565 | 2000 | O/H | 10813.3 | HRS | 256.2 | 1743.8 |
| 16 | BLEED VALVE | 23005366 | FF58621 | 1500 | O/H | 2965.8 | HRS | 667.4 | 832.6 |

Subject to Verification